## **Bug-Free Tu B'Shevat**

According to Rav Moshe Vaye's sefer

Bedikas HaMazon

Updated 5775 - USA

. Clean Fruit	– no checking	required Updated	5775 - USA	for Checking Foods Rav Moshe Vaye	
apples (including apricots, canned bananas banana chips Brazil nuts coconut (whole a craisins (cranben esrog, candied fruit leather (in c hazelnuts	d and shredded) ries)	kumquat, candied Macadamia nuts mango melon, round papaya from abroad (fresh, dried, passion fruit pecans in shell pecans, sugared peaches, canned peanuts	quince (impo	anned	
. Fruit that so	ometimes h	arbors infestation – shou	Ild be checked		
almonds in shell	As you shell each almond, check the inside for sticky webbing dangling, round dark crumbs, or worms. Check the almond for holes or nibbling.				
almonds shelled	Check each almond on both sides for webbing, holes, or nibbling. Halve about 10% of the almonds and check inside. If signs of infestation are found, each almond should be halved and checked internally.				
almonds chopped	Shake the almonds in a wire mesh strainer over a white surface and check the surface for small bugs. Then pour the almonds themselves, which remained in the strainer, onto a white surface and check between the pieces.				
apricots dried	<b>whole:</b> Open and check each half with through-lighting on both sides. <b>fruit sold halved:</b> Soak in warm water, open the folds, unroll the edges, and check with through-lighting.				
avocado	There may be scale insects on the peel. Take care that they do not get transferred onto the fruit during peeling.				
blueberry	<ul><li>frozen: Use only frozen blueberries produced under mehadrin hashgochoh.</li><li>fresh: Heavily infested and difficult to check.</li></ul>				
cashew nuts	Check the nuts for holes or nibbling. Halve about 10% and check between the halves. If infestation is found, all the nuts should be halved and checked. (A few thin brown crumbs inside the cashew are pieces of shell, not caused by bugs).				
cherries	If any infestation <b>dried:</b> Best to ave	<b>chino:</b> Open several (about 10%) as a is found in the sample, open and chec oid using due to difficulty of checking. ach one and check inside.	k all of the batch.	Produced in the USA: usually clean.	
chestnuts		nd check inside for a worm or dark crur h a kashrus supervision usually clean.	nbs, preferably before cook	ing or roasting.	
dates dried	Slit open with a knife, remove pit, check from both sides with through-lighting (looking for a dark bug about 2-3 mm. long or a worm, usually dead and dried up).				
dates frozen	Usually clean, bu	t it's good to open them and check.			
fruit leather sold	open Check aga	inst the light, looking for an ant or fly s	stuck on.		
grapes	<ol> <li>Seperate tight clusters into small ones. Soak in soapy water and rinse well. Repeat soaking and rinsing 3 times.</li> <li>Look at each grape. If you see a dark spot penetrating inside the grape, cut there and check inside for a worm.</li> </ol>				
guava	Cut the fruit into slices across and examine each slice on both sides. The worms are the same color as the fruit (with a black dot at the head) and are hard to identify. <b>alternate method:</b> Peel the fruit and check for a small hole or a dark mushy area. Cut out this area and examine it for worms in the flesh of the fruit.				
kiwi	The fruit itself is clean. On rare occasions there may be white or brown scale insects on the peel. Take care that they do not get transferred onto the fruit during peeling; Alternately, rinse off the fruit after peeling.				

בס״ד

70n

NEW!

**pomegranate** Check for a hole in the peel. When taking out the seeds, check for small white maggots or a brown worm. (from private gardens)

pineapple	<b>fresh</b> : Cut off the peel, remove all hard brown hollow areas, and rinse. <b>dried with sugar</b> : Look at it on both sides for a fly or bug that got stuck to it. <b>natural dried</b> : Break into a few pieces and check in the small spaces in the flesh of the fruit for worms or dark round crumbs.		
sugar-apple	Peel and rinse. Cut into segments and check for white worms.		
walnuts shelled	Place the nuts in a large-holed strainer and shake over a white surface. Check the surface for small bugs or worms. Check each nut c both sides, especially inside the folds, for webbing, worms, or nibbling.		
walnuts in shell	see Almonds.		
walnuts chopped	see Almonds.		

<ul> <li>citrus fruit:</li> <li>oranges, tangerines,</li> <li>mandarines, grapefruit,</li> <li>esrog, sweetie, lemons</li> </ul>	external infestation: There are often brown or dark gray scale insects on the peel. During peeling and cutting, take care that they do not ge transferred onto the fruit or onto your hands. Or rinse off the fruit after peeling. If you want to use the peel, scrub it wit a hard brush or metal scrubbie and dishwashing liquid, rinse, and check to make sure no scales remain.		
	<ul> <li>internal infestation:</li> <li>There are sometimes fruit-fly maggots inside the flesh of oranges, grapefruit, mandarines, and tangerines. This is rare when the fruit comes from orchards that were tended, especially in the winter. Citrus from trees that weren't sprayed, such as from private gardens or from Arabs during Shmitta, as well as citrus in the summertime, is more likely to harbor fruit-fly maggots.</li> <li>A. As you peel the fruit, look at the white side of the peel, checking for a brown stain or a mushy area that continues into the fruit. If this is found, check to see whether maggots penetrated at that point.</li> <li>B. If the fruit is soft and mushy or has an unusual odor, the inside of the segments should be checked. If one fruit is found to have maggots, all the fruits of that batch should be checked carefully.</li> </ul>		
	<b>orange juice</b> — Advisable to strain juice through a fine mesh strainer. Alternately, when squeezing oranges at home, the orange peel can be cleaned with a metal scrubbie and dishwashing liquid before the fruit is juiced to prevent scales from entering the juice. Then the juice will not need straining.		
seeds	pumpkin seeds: in the shell: shelled:       Usually clean. If the shell is damaged, open and check for worms.         Shake in a plastic noodle strainer over a white surface and check the surface for worms. If worms are found, do not use.		
	sunflower seeds: in the shell:       Shell and check each one.         shelled:       Shake the seeds in a wire mesh strainer over a white surface and check the surface for small bugs. If worms are found, do not use.		
	watermelon seeds: Shell and check a sample (about 10%). If infestation is found, the entire batch should be shelled and checked.		
pistachios	Remove the shell and check for worms or webbing. Halve about 10% of the nuts and check inside. If signs of infestation are found, each nut should be halved and checked internally.		

## 3. Fruit that is often infested - must be checked

quince (grown in Israel)	Halve the fruit and check for a worm or tunnel with dark crumbs. Remove the affected area. Quince in the U.S. is clean.	
carob	Wash well, break into small pieces (2 cm.=1 inch) and check for crumbs, webbing, worms, or insects.	
raisins	Highly infested. The procedure for checking is complicated and difficult. For instructions, see sefer "Bedikas HaMazon" English. Craisins can be used as a substitute.	
mulberries raspberries	Very infested and difficult to check. Avoid eating them.	
strawberries	There is a world-wide problem of thrips, small thin insects which hide in the little depressions on the strawberries and do not come off with the usual cleaning methods. Therefore strawberries should only be eaten in one of the following 2 ways: <b>Method A</b> : With a knife, cut off the leaf at the top together with a few millimeters of the fruit.Remove any cracks, deep clefts, or damaged areas. Soak in water mixed with a little dishwashing liquid for 3 minutes, rub in the water, and rinse well under running water in such a way that the water reaches every part of the berry. This process should be done three times, after which the berries may be cooked or blended.	
	<b>Method B</b> : Peel off the entire outer layer of the berry (including deep cracks and the place where the leaf is attached). Rinse well after peeling.	
figs fresh and dried	Highly infested. The procedure for checking is complicated and difficult. For instructions, see sefer "Bedikas HaMazon" in English.	

Answers to phone queries: from 11:00 to 12:00 a.m. and p.m. and on Friday from 2:00 p.m. until 30 minutes before Shabbos at (972-2) 532-5588. Rav Vaye's shiurim can be heard on Kol Haloshon at (03) 6171039 or www.kolhalashon.com

The sefer "Bedikas HaMazon" in English is available in book stores. For mail delivery, call (02) 5806612 or www.feldheim.com

This page may be copied and disseminated as a public service on condition that **no changes are made** to it. Available by calling **(08) 9766653** or E-mail: **vayemoshe@gmail.com**, or **teva.ramot@gmail.com** 

kashruslab@gmail.com • Tel. 347-5041244 (8:00 p.m.- 9:00 p.m.)